

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1159	((scan\$4 monitor\$3) near5 periodically) same ((scan monitor\$3) near5 status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 15:07
L2	13087244	@ad< "20020613" @rlad< "20020613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 15:07
L3	735	2 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 15:07
L4	176	((scan\$4 monitor\$3) near5 periodically) same ((scan monitor\$3) near5 (device node terminal peripheral) near5 status)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 15:08
L5	108	4 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 15:08
L6	1	5 and ((radio near2 tag) (clever near2 tags) (smart near2 cards))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 15:11
L7	1	5 and dielectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 15:14
L8	0	5 and inductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 15:14
L9	20	5 and antenna	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 15:15

L23	1925219	local antenna coupled near5 induction loop	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:01
L24	1	local near5 antenna near5 coupled near5 induction near5 loop near5 receiv\$3 near5 energy	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:01
L25	1	antenna near5 coupled near5 induction near5 loop near5 receiv\$3 near5 energy	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:01
L26	2	antenna near5 coupled near5 inductor near5 receiv \$3 near5 energy	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:02
L27	23	antenna near5 coupled near5 inductor near5 (energy power)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:02
L28	13	27 and 2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:03
L29	2	"550416" and dielectric	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:10
L30	0	"5850416".pn. and dielectric	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:10
L31	0	"1715701".pn. and dielectric	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:11
L32	4	antenna with (inductor induction) with separate with (dielectric partition)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:11

L33	0	32 and 2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:11
L34	324	antenna with (induct\$4) with separate	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:12
L35	34	antenna with (induct\$4) with separate with (support wall dielectric partition)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:25
L36	15	35 and 2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:25
L37	121	modulat\$3 near5 "125 kHz"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:44
L38	68	37 and 2	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:44
L39	43	38 and antenna	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 17:44
L40	1	"6907422".pn. and (view \$set)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 18:37
S1	1	"20060077033"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/03 16:38
S2	2	"6601679" and frequency	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/03 18:38

S3	1	"20060077033" and local near2 antenna	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/03 18:53
S4	1	"20060077033" and support	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/03 18:53
S5	4	"4193478".pn. "6003637". pn. "4872532".pn. "5975248".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/03 19:09
S6	0	"6601679" and periodically	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:13
S7	0	"6601679" and consistently	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:13
S8	1	"6601679" and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:15
S9	1	"6601679" and (network same controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:18
S10	206719	(inform\$3 receiv\$3 transmit \$4) with status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:28
S11	33075	(provid\$3 supply\$3 supplies) with (power energy) with (radio wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:30
S12	6781	S11 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:30

S13	648	S12 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:30
S14	14	S13 and (antenna same dielectric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:32
S15	13087244	@ad< "20020613" @rlad< "20020613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:32
S16	11	S15 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:32
S17	16321	(provid\$3 supply\$3 supplies) near5 (power energy) near5 (radio wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:38
S18	659	S17 and (antenna same dielectric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:39
S19	374	S18 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:39
S20	53	S18 and S15 and ((smart near2 card) status near2 ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:39
S21	1	S20 and (scan\$4 near5 periodically)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:43
S22	1	S20 and (scan\$4 near5 periodically) and (power same wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:44

S23	41	S17 and (scan\$4 near5 periodically) and (power same wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:47
S24	12748803	@ad< "20020613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:47
S25	29	S23 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:47
S26	16	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:47
S27	10879	(provid\$3 supply\$3 supplies) near5 (power energy) near5 (radio near2 frequency wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:50
S28	10488	((scan\$4 monitor\$3) near5 periodically) and status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:51
S29	159	S27 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:52
S30	64	S29 and (antenna same dielectric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:52
S31	8	S30 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:52
S32	56	S30 not S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:53

S33	1199571	@r1ad<"20020613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:53
S34	8	S30 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:53
S35	8	S29 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:54
S36	99	S29 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 13:54
S37	8394	powered near5 (wireless radio near2 frequency radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 14:00
S38	568	S37 and (antenna and dielectric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 14:00
S39	57	S38 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 14:00
S40	48	S15 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 14:01
S41	275	S38 and S15 not S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 14:02
S42	275	S41 not S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 14:02

S43	8	S42 and (smart near2 card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 14:02
S44	9157	(powered recharg\$3) near5 (wireless (radio near2 frequency) radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:05
S45	6594	(powered recharg\$3) with battery with (wireless (radio near2 frequency) radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:07
S46	4743	S44 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:07
S47	1245	S46 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:07
S48	42	S47 and (smart near2 card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:08
S49	1	S48 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:10
S50	284	S44 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:11
S51	60	S50 and (dielectric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:11
S52	18	S51 and ("455"/\$.ccls. "340"/ \$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:11



S53	3721	(powered recharg\$3) with battery with (wave (radio near2 frequency) radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:13
S54	2016	(powered recharg\$3) near5 battery near5 (wave (radio near2 frequency) radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:13
S55	52	S54 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:13
S56	2333	S53 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:13
S57	26	S55 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:13
S58	1506	(supply\$3 supplies) near8 (power\$3 energy) near8 ((radio near2 frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:18
S59	35	S58 and S28 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:18
S60	833	(supply\$3 supplies) near8 (power\$3 energy) near8 (node device peripheral terminal) near8 ((radio near2 frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:21
S61	9	S60 and S15 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/04 15:21
S62	1046	(supply\$3 supplies) near8 (power\$3 energy) near8 ("by" "through" "via") near8 ((radio near2 frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:19

S63	13087244	@ad<"20020613" @rlad<"20020613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:19
S64	596	S62 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:19
S65	10488	((scan\$4 monitor\$3) near5 periodically) and status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:19
S66	2016	(powered recharg\$3) near5 battery near5 (wave (radio near2 frequency) radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:19
S67	52	S66 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:19
S68	596	S64 not S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:20
S69	30	S68 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:20
S70	2773	(supply\$3 supplies) near8 (power\$3 energy) near8 ("by" "through" "via") near8 (wireless wave)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:27
S71	1512	S70 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:28
S72	76	S71 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:28

S73	517	(supply\$3 supplies) near3 (power\$3 energy) near3 ("by" "through" "via") near3 (wireless wave)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:34
S74	259	S73 and S63	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:34
S75	14	S74 and (antenna and dielectric)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:38
S76	171	dielectric and ((induction inductor) near5 (couple\$2 near5 (antenna))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:44
S77	97	S76 and S63	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:45
S78	28	S77 and (frequency near8 "khz")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:46
S79	0	S78 and S65	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:47
S80	1	S65 and S76	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:48
S81	0	S65 and (antenna near5 couple near5 dielectric)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:49
S82	71	S65 and (antenna near5 dielectric)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:49

S83	61	S82 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:49
S84	61	S83 not S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:50
S85	555	S65 and ((radio near2 tag) (clever near2 tags) (smart near2 cards))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:57
S86	388	S85 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:57
S87	58	S86 and (frequency near8 "khz")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:57
S88	25	S87 not S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 08:58
S89	304	S86 and (building)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 09:06
S90	100	S89 and (floor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 09:06
S91	53	S90 not S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 09:06
S92	10	S91 and elevator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/05 09:07

9/ 5/ 2008 7:00:20 PM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\10517797.wsp